

















## Society

This sustainable bouclé textile has a luxurious look & feel. Our product development team created this fabric together with a weaver who is known for his unique recycled polypropylene.

This textile is made from 100% recycled polypropylene, a special type of polypropylene, coming from leftovers from diapers and masks. Society is multicoloured, soft with a rough and modern look.

Society fits all types of upholstery, so it can be applied widely, as loose covers as well as on tight-fitted

It is voluminous and has a comfortable handfeel. Society can be machine-washed at 30 degrees Celsius\* without losing its characteristics.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture slightly damp after washing.

Fabraa Upholstery fabrics with a conscience. We make sustainable choices easy by offering a wide range of high-qualty, affordable upholstery fabrics with consideration for the conditions throughout the supply chain.

Composition

/ faceside 100%RPP / backside n/a / flatweave

Suitable for



Please note: colours may vary according to your screen settings.



## Society - Article passport

A sustainable boucle textile with a luxurious look & feel.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics		
Productgroup	flatweave	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%RPP	
Composition backside	n/a	
Bonding / Coating	n/a	
Statistic code	54077300	
Dyeing method	yarn dyed	
Available colours	17	
Packaging	transparent plastic	

Durability specifications										
Test	Test specification	Test specification Executed by laboratory:		Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09		
				Dry	Wet	DGM	DGM+			
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	45.000		min. 12.000	min. 16.000	А		
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	В		
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5									
	light colours	CTL	grade	5		min. 4	min.5	В		
	middle colours	CTL	grade	5		min. 4	min.5	В		
	dark colours	CTL	grade	5		min. 4	min.5	В		
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11	DIN EN ISO 105-X12:2016-11								
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A		
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A		
	dark colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A		
Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	СТL		passed						

		1						
Processingspecifications								
Minimum workable width in centimeters	± 138							
Roll length in meters	± 40							
Material weight in grams per linear meter	± 588							
Test	Test specification	Executed by laboratory:		Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	903	1.375	min. 350	min. 400	A/A
Tensile strength Tear growth resistance	DIN EN ISO 13934-1:2013-08 DIN EN ISO 13937-3:2000-06	CTL CTL	Newton Newton	903 148,0	1.375 140,4	min. 350 min. 25	min. 400 min. 30	A/A A/A

Centexbel

Centexbel

Cleaning	specifications

Chemical substances

-iouring oppositionation								
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	0,0	0,0	n/a	n/a	A/A











REACH

Oeko-Tex, product class II

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture slightly damp after washing.



passed

certified









