


NORONEN

Seven



STANDARD
TOP
210004
Kombi



CTL® GmbH
GEBÄUDE-RENOVATION UND ERHOLDUNG



Möbel



Textaafoam[®]
creativity in fabrics

| Comfort



Seven

Seven, one of our bestselling Textaafoam Originals. A knitted polyester velvet from our Comfort Collection. This collection stands for softness, volume and elegance.

This piece dyed knitted velvet has a short pile, this gives the textile a soft handfeel and creates a matt and elegant look.

Seven is laminated with a woven backing and is the perfect choice for loose fitting upholstery. Now available in a wide range of trendy, modern and commercial colours from stock.

Packed with care in suspended boxes for full rolls or bubblewrap for coupons (exact meters), to minimize pressure marks during storage, handling and transport.

- Please note that no fluor-carbon treatment has been used for this quality, due to the production and dyeing method it is automatically damp & dirt prevented, stain resistant and easy to clean & maintain.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.


TEXTAAFOAM ORIGINALS ESTABLISHED IN 1970. THIS DUTCH FAMILY BUSINESS BRINGS TOGETHER CRAFTSMEN IN TEXTILES AND FURNITURE DESIGN TO BUILD AN UNRIVALLED PORTFOLIO IN UPHOLSTERY FABRICS THAT MEETS BUYER'S NEEDS EVERY TIME. FEATURING A WIDE COLOUR RANGE, ULTIMATE VALUE FOR MONEY AND EXCELLENT RELIABILITY IN THE SUPPLY CHAIN.

Composition

/ faceside 100%PES
/ backside 90%PES 10%CO
/ knitted velvet

Suitable for


sofa's, beds, chairs with loose fitting upholstery



anthracite 67




apple 157



beige 05



blackberry 177



blossom 166




blue 45



cappuccino 11



carmine 36



cinnamon 94



cobalt 46



cognac 28




copper 126


Please note: colours may vary according to your screen settings.




darkblue 48



darkbrown 18




denim 153



dolphin 180



emerald 184




espresso 123



eucalyptus 193



forest 162



grey 65



honey 202 hunter 156




ivory 101


Please note: colours may vary according to your screen settings.



lavender 71



lilac 70



liver 10



magnolia 160



mint 50




moss 59



navy 49




niagara 158




nightshade 178



ocre 23



onyx 169



petrol 56


Please note: colours may vary according to your screen settings.



pink 73




plumb 168




saffron 183



scarlet 141



shitake 124




sky 142



steel 149




teal 198



turquoise 44



turtle 88



winered 39



Please note: colours may vary according to your screen settings.

Seven - Article passport


A knitted polyester velvet with a soft handfeel, looking matt and elegant.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	knitted velvet
Applications	sofa's, beds, chairs with loose fitting upholstery
Composition faceside	100%PES
Composition backside	90%PES 10%CO
Bonding	woven
Statistic code	60019200
Dyeing method	piece dyed
Available colours	47
Packaging	boxes


Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 20.000	min. 40.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours		grade	4		min. 4	min.5	C
	middle colours	CTL	grade	4-5		min. 4	min.5	B-C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours		grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				
								

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 50							
Material weight in grams per linear meter	± 420							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	610	657	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	100,8	107,7	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,8	2,8	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	12,0	11,6	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	0,0	-3,2	n/a	n/a	A/B
 <p>- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.</p>								



Textaafoam
creativity in fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934 F
+31(0)13 534 7586 E
info@textaafoam.nl
www.textaafoam.nl