

NORONEN

Relax



Textaafam | Skins
creativity in fabrics



Relax

Relax is a characterful leather-look upholstery fabric in our Skins Collection. This collection consists of high-quality articles that capture the look and feel of natural leather, offering a soft grip and durable performance.

Relax has a natural-looking grain and a slightly lived-in appearance that adds depth and authenticity. It comes with a jacquard backing, creating a subtle high-low effect that adds definition and enhances the leather-like texture.

The surface is made of fine microsuede, giving Relax a soft touch and full grip; comfortable in use and elegant in appearance. Suitable for both fitted and loose-fitting upholstery, this fabric works well across a wide range of furniture styles.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Textafoamoriginals Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

Composition

/ faceside 100%PES
/ backside 92%PES 8%CO
/ microsuede woven

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



apple 157



beige 05



blue 45



bordeaux 37



brown 15



camel 09



cinnamon 94



cream 02



dolphin 180



espresso 123



graphite 66

Please note: colours may vary according to your screen settings.



hunter 156



ivory 101




liver 10



maize 22



niagara 158



petrol 56



purple 78



sand 03



tan 119



taupe 12



terra 31













tobacco 111

Please note: colours may vary according to your screen settings.



turtle 88



Please note: colours may vary according to your screen settings.

Relax - Article passport

Relax has a natural-looking grain and a slightly lived-in appearance.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	microsuede woven
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	100%PES
Composition backside	92%PES 8%CO
Bonding	woven jacquard
Statistic code	54075300
Dyeing method	piece dyed
Available colours	25
Packaging	transparent plastic

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	32.000		min. 12.000	min. 16.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	B
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	3-4		min. 4	min.5	C
	middle colours	CTL	grade	3-4		min. 4	min.5	C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Colour fastness to rubbing	dark colours	CTL	grade	4-5	3-4	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL	passed				

Processingspecifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 40							
Material weight in grams per linear meter	± 546							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	2.706	503	min. 350	min. 400	A/B
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	100,3	37,9	min. 25	min. 30	A/B
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	1,5	1,8	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	12,4	28,4	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RALGZ430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-0,2	-0,1	n/a	n/a	A/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.



Textaafoam
creativity in fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl